Work Order ID 102892

102892

June-12-13 9:16:14 AM

Item ID: D4720-1 **Accept** *N900040100* **Setup Start** *NS1*

Revision ID: **Stop** *NS2*

Item Name: Spacer

Start Date: 7/15/13 **Start Qty:** 200.00 *200*

Required Date: 7/15/13 **Req'd Qty:** 200.00 *200*

Cust Item ID:

Customer:

Reference:

Run Start *NR1*

Stop *NR2*

Approvals: **Process Plan:** MLJ **Date:** 13-06-14 **Tooling:** _____ **Date:** _____

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr: D4720	Revision Nbr: A								
100	Hardinge CNC LATHE SMALL	0.00				200	0		
100 Hardinge Hardinge CNC Lathe Small	**Memo** 1- Machine as per Folio FB0 FOLIO REV:_____ DWG REV: 4 ***DO NOT CHAMFER OUTSIDE DIA*** 2- Deburr	0.00	DAS 40 9-89	13/06/26					
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110 QC Quality Control	**Memo**	0.00	DAS 40 9-89	13/06/25		200	0		

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

DART AEROSPACE

QA Closed: Date: Work Order update only ☐

Work Order: _____

Part No. _____

NCR No. _____

DISPOSITION

Rework ☐
Scrap ☐
Use-as-is ☐
Suspected Unapproved ☐

AGAINST DEPARTMENT/PROCESS

Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐
Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐
Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐
Large Fab ☐ Composite ☐ Supplier ☐

Root Cause		Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design	☐									
Doc/Data	☐									
Equip/Tooling	☐									
Handling/Pre	☐									
Material	☐									
Operator	☐									
Offset/Setup	☐									
Process	☐									
Supplier	☐									
Training	☐									
Transport	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear

☐ Bending
☐ Centre Not Concentric
☐ Cracks
☐ Crimp/Kink/Ripple/Wave
☐ Cuffs
☐ Crushing
☐ Heat Treat
☐ Inspection Strip in Tube
☐ Marks/Chatter
☐ Turning Sequence
☐ Wave/Twist in Tube

General

☐ Bend
☐ BOM/Route
☐ Broken/Damage/Defect
☐ Burrs
☐ Contamination
☐ Countersink
☐ Cut Too Short
☐ Drawing
☐ Drill Holes
☐ Finish
☐ Fit/Function
☐ Folio/Program
☐ Grain
☐ Hardware
☐ Inspection Incomplete/Unqualified
☐ Instructions Incomplete/Unclear
☐ Misaligned/off center
☐ Mislabeled
☐ Misread
☐ Off-set
☐ Out of Calibration
☐ Out of Sequence
☐ Outside Dimensions
☐ Over/Under tolerance
☐ Part Incorrect
☐ Part Lost/Missing
☐ Part Moved
☐ Positioned Wrong
☐ Power Loss/Surge
☐ Pressure/Forced
☐ Set-up
☐ Temperature/Cure
☐ Weld
☐ Wrong Stock Pulled
☐ Other

Work Order ID 102892

102892

June-12-13 9:16:14 AM

Item ID: D4720-1 **Accept** *N900040100* **Setup Start** *NS1*

Revision ID: **Stop** *NS2*

Item Name: Spacer

Start Date: 7/15/13 **Start Qty:** 200.00 *200* **Cust Item ID:**

Required Date: 7/15/13 **Req'd Qty:** 200.00 *200* **Customer:**

Reference:

Run Start *NR1*

Stop *NR2*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
120			13-06-25			200	0		
QC	**Memo**	0.00							
Quality Control									
130	Outsource process - Heat Treat	0.00							
130									
Outsource1	**Memo**	0.00							
Outsource process - Heat Treat	***HEAT TREAT AS PER DWG D4720***								
140	Receive & Inspect for Damage & Mat'l Certs	0.00							
140									
Packaging	**Memo**	0.00							
Packaging									

PO 20381

Metcor

pd 13-06-28

13/7/28 (200)

DQA: _____ Date: _____

DART AEROSPACE

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date: Work Order update only ☐

Work Order: _____

Part No. _____

NCR No. _____

DISPOSITION

- Rework ☐
- Scrap ☐
- Use-as-is ☐
- Suspected Unapproved ☐

AGAINST DEPARTMENT/PROCESS

- Skid-tube ☐
- Machining ☐
- Thermoforming ☐
- Large Fab ☐
- Crosstube ☐
- Small Fab ☐
- Finishing ☐
- Composite ☐
- Water Jet ☐
- Prod. Eng. Coor. ☐
- Rec/Store/Packaging ☐
- Supplier ☐
- Engineering ☐
- Quality ☐
- Other ☐

Root Cause		Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design	☐									
Doc/Data	☐									
Equip/Tooling	☐									
Handling/Pre	☐									
Material	☐									
Operator	☐									
Offset/Setup	☐									
Process	☐									
Supplier	☐									
Training	☐									
Transport	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear

- ☐ Bending
- ☐ Centre Not Concentric
- ☐ Cracks
- ☐ Crimp/Kink/Ripple/Wave
- ☐ Cuffs
- ☐ Crushing
- ☐ Heat Treat
- ☐ Inspection Strip in Tube
- ☐ Marks/Chatter
- ☐ Turning Sequence
- ☐ Wave/Twist in Tube

General

- ☐ Bend
- ☐ BOM/Route
- ☐ Broken/Damage/Defect
- ☐ Burrs
- ☐ Contamination
- ☐ Countersink
- ☐ Cut Too Short
- ☐ Drawing
- ☐ Drill Holes
- ☐ Finish
- ☐ Fit/Function
- ☐ Folio/Program
- ☐ Grain
- ☐ Hardware
- ☐ Inspection Incomplete/Unqualified
- ☐ Instructions Incomplete/Unclear
- ☐ Misaligned/off center
- ☐ Mislabeled
- ☐ Misread
- ☐ Off-set
- ☐ Out of Calibration
- ☐ Out of Sequence
- ☐ Outside Dimensions
- ☐ Over/Under tolerance
- ☐ Part Incorrect
- ☐ Part Lost/Missing
- ☐ Part Moved
- ☐ Positioned Wrong
- ☐ Power Loss/Surge
- ☐ Pressure/Forced
- ☐ Set-up
- ☐ Temperature/Cure
- ☐ Weld
- ☐ Wrong Stock Pulled
- ☐ Other

Work Order ID 102892

102892

June-12-13 9:16:14 AM

Item ID: D4720-1 **Accept** *N900040100* **Setup Start** *NS1*

Revision ID: **Stop** *NS2*

Item Name: Spacer

Start Date: 7/15/13 **Start Qty:** 200.00 *200* **Cust Item ID:**

Required Date: 7/15/13 **Req'd Qty:** 200.00 *200* **Customer:**

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____ **Stop** *NR2*

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC6- Inspect dimensions to drawing	0.00				200		13-01-29	DAS 09
150 QC Quality Control	Memo	0.00							
190	Identify as per dwg & Stock Location: L6	0.00				200		13-01-30	SAJ
190 Packaging Packaging	Memo ***STOCK IN SKIDTUBE CELL***	0.00							
200	QC21- Final Inspection - Work Order Release	0.00						13-07-31	MCJ
200 QC Quality Control	Memo	0.00							

MCJ 13-07-31

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

DART AEROSPACE

QA Closed: Date: Work Order update only ☐

Work Order: _____

Part No. _____

NCR No. _____

DISPOSITION

Rework	☐
Scrap	☐
Use-as-is	☐
Suspected Unapproved	☐

AGAINST DEPARTMENT/PROCESS

Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause		Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design	☐									
Doc/Data	☐									
Equip/Tooling	☐									
Handling/Pre	☐									
Material	☐									
Operator	☐									
Offset/Setup	☐									
Process	☐									
Supplier	☐									
Training	☐									
Transport	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear

- ☐ Bending
- ☐ Centre Not Concentric
- ☐ Cracks
- ☐ Crimp/Kink/Ripple/Wave
- ☐ Cuffs
- ☐ Crushing
- ☐ Heat Treat
- ☐ Inspection Strip in Tube
- ☐ Marks/Chatter
- ☐ Turning Sequence
- ☐ Wave/Twist in Tube

General

- ☐ Bend
- ☐ BOM/Route
- ☐ Broken/Damage/Defect
- ☐ Burrs
- ☐ Contamination
- ☐ Countersink
- ☐ Cut Too Short
- ☐ Drawing
- ☐ Drill Holes
- ☐ Finish
- ☐ Fit/Function
- ☐ Folio/Program
- ☐ Grain
- ☐ Hardware
- ☐ Inspection Incomplete/Unqualified
- ☐ Instructions Incomplete/Unclear
- ☐ Misaligned/off center
- ☐ Mislabeled
- ☐ Misread
- ☐ Off-set
- ☐ Out of Calibration
- ☐ Out of Sequence
- ☐ Outside Dimensions
- ☐ Over/Under tolerance
- ☐ Part Incorrect
- ☐ Part Lost/Missing
- ☐ Part Moved
- ☐ Positioned Wrong
- ☐ Power Loss/Surge
- ☐ Pressure/Forced
- ☐ Set-up
- ☐ Temperature/Cure
- ☐ Weld
- ☐ Wrong Stock Pulled
- ☐ Other

Picklist Print

June-12-13 9:16:14 AM

Work Order ID: 102892

Parent Item: D4720-1

Parent Item Name: Spacer

Start Date: 7/15/13 **Required Date:** 7/15/13

Start Qty: 200.00 **Required Qty:** 200.00

Comments: IPP REV:A 12.11.20 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6T0.375W.058 6061-T6 RD Tube .375 x.058W		Purchased	No			100	f	139.2020	0.265	55.78948	DAS 40 3.89	13/06/25	

Location	Loc Qty	Loc Code	
MAT014	139.202		
116920	1.156		
119087	0.11		
123303	8		
→ 123449	121.67		57.0
124069	8.266		

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date: Work Order update only ☐

Work Order: _____

Part No. _____

NCR No. _____

DISPOSITION

Rework	☐
Scrap	☐
Use-as-is	☐
Suspected Unapproved	☐

AGAINST DEPARTMENT/PROCESS

Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause		Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design	☐									
Doc/Data	☐									
Equip/Tooling	☐									
Handling/Pre	☐									
Material	☐									
Operator	☐									
Offset/Setup	☐									
Process	☐									
Supplier	☐									
Training	☐									
Transport	☐									
Unapproved	☐									


FAULT CATEGORY


Landing Gear

- ☐ Bending
- ☐ Centre Not Concentric
- ☐ Cracks
- ☐ Crimp/Kink/Ripple/Wave
- ☐ Cuffs
- ☐ Crushing
- ☐ Heat Treat
- ☐ Inspection Strip in Tube
- ☐ Marks/Chatter
- ☐ Turning Sequence
- ☐ Wave/Twist in Tube

General

- ☐ Bend
- ☐ BOM/Route
- ☐ Broken/Damage/Defect
- ☐ Burrs
- ☐ Contamination
- ☐ Countersink
- ☐ Cut Too Short
- ☐ Drawing
- ☐ Drill Holes
- ☐ Finish
- ☐ Fit/Function
- ☐ Folio/Program
- ☐ Grain
- ☐ Hardware
- ☐ Inspection Incomplete/Unqualified
- ☐ Instructions Incomplete/Unclear
- ☐ Misaligned/off center
- ☐ Mislabeled
- ☐ Misread
- ☐ Off-set
- ☐ Out of Calibration
- ☐ Out of Sequence
- ☐ Outside Dimensions
- ☐ Over/Under tolerance
- ☐ Part Incorrect
- ☐ Part Lost/Missing
- ☐ Part Moved
- ☐ Positioned Wrong
- ☐ Power Loss/Surge
- ☐ Pressure/Forced
- ☐ Set-up
- ☐ Temperature/Cure
- ☐ Weld
- ☐ Wrong Stock Pulled
- ☐ Other





D4720-1 SPACER

RELEASED
2012-11-16

102892MCS
13-06-14

NOTES:
1) MATERIAL: 6061-T4/-T42 ALUMINUM TUBING PER WW-T-700/6, AMS 4081, OR ASTM B210 / B221 / B241
REF DART SPEC M6061T4T0.375W.058
OR
6061-T6/-T62 ALUMINUM TUBING PER WW-T-700/6, QQ-A-200/8, QQ-A-225/8, AMS 4080 / 4082, OR ASTM B210 / B221 / B241
REF DART SPEC M6061T6T0.375W.58
HEAT TREAT TO -T4/-T42 CONDITION. MIN UTS = 30 KSI (60 HREW MIN)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.02 lbs

REV.	DESCRIPTION	BY	DATE
A	NEW ISSUE	RP	12.09.10

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	RP	
CHECKED		DRAWING NO. D4720 REV. A
MFG. APPR.		SHEET 1 OF 1
APPROVED	CMJ	TITLE SPACER
DE APPR.		SCALE NTS
DATE	12.09.10	

COPYRIGHT © 2012 BY DART AEROSPACE LTD
THIS DOCUMENT, IN WHOLE OR IN PART, MUST BE IMPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT PRIOR REPRODUCTION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	102892
Description: Spacer	Part Number:	
Inspection Dwg: 04720-1 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø.375	±.010	.375	✓		VERN	PL0-12
.058	±.010	.056	✓		"	"
3.180	+.030 -.010	3.187	✓		"	"

Measured by:	DAS 40 9-89	Audited by:		Preliminary Approval:	
Date:	13/06/25	Date:	13-06-25	Date:	

Rev	Date	Change	Revised by	Approved
E	10.04.14	Added preliminary approval	KJ	

10.04.15

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20381

Purchase Order Date 6/28/2013
PO Print Date 7/12/2013

Order From : VC-MET004

METCOR INC.
560 BOUL. ARTHUR SAUVE
SAINT-EUSTACHE, QC J7R 5A8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 450 473 1884

Ship To Contact
Ship To Phone
Ship Via: FedEx Overnight
Ship Acct:

Buyer Brigitte Golden
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

FAXED 07/12/13

Line	Reference / Vendor Part Number / Line Comments / Delivery Comments	Description/ Mfg ID	Req Date/ Taxable / Promise Date	CD	Req Qty/ Unit of Measure	List Price	Disc %	Discounted Unit Price	Extended Price
1	102802	646.3013 Blade	7/8/2013 Yes 7/8/2013		10.00				$216.00
	FINISH: HEAT,TREAT TO 58-62 RC ROCKWELL JARDENESS PARTS ARE MADE FORM MATERIAL A2 TOOL STEEL								
								Line Total:	**$216.00**
2	102892	D4720-1 Spacer	7/8/2013 Yes 7/8/2013		200.00				$539.00
	HEAT TREAT TO T4/G42 CONDITION MIN. UTS = 30KSI (60 HREW MIN.) SPACER ARE MADE FROM 6061T6								
								Line Total:	**$539.00**
	102802	DETAIL C OF C	7/8/2013 Yes 7/8/2013		1.00				$48.00

Note:

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ
ST-EUSTACHE, QC J7R 5A8
Tel: 450-473-1884 / Fax: 450-491-5498

Reçu de livraison

Delivery Receipt

BON DE TRAVAIL Order	EXPÉDITEUR Shipper ID	BON D'EXPÉDITION Shipper
187653	1	73480

EXPÉDITION COMPLÈTE / Shipped Complete

CLIENT /Customer 215

DART AEROSPACE
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053

LIVRÉ À /Shipped To

DART AEROSPACE
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053

COMMANDE DU CLIENT Customer PO	BON DE LIVRAISON DU CLIENT Customer Shipper No.	TYPE DE MATÉRIEL Material Type	DATE DE LA COMMANDE Order Date	TRANSPORTEUR Carrier
PO20381		AL-6061	2013/7/3	FEDEX

QUANTITÉ Quantity	No. PIÈCE / NOM DE LA PIÈCE / DESCRIPTION DE LA PIÈCE Part No. / Part Name / Part Description	POIDS Weight
200	D4720-1 (200) SPACER REFERENCE 102892 MATERIAL: AL-6061-T6 CONTENANT: 1 BOÎTE DE CARTON	3,

TYPE DE CONTENEUR Container Type	# DE CONTENEURS # Of Containers	COMMENTAIRES CONTENEUR Container Comments
BOITE DE CARTON	1	

CERTIFICAT

EMPAQUETAGE Packing	

QUANTITÉ EXPÉDIÉE / Quantity Shipped :	200
POIDS EXPÉDIÉ / Weight Shipped :	3,00
QUANTITÉ RESTANTE / Quantity Remaining :	0
POIDS RESTANT / Weight Remaining :	0,00

CERTIFICAT

QUANTITÉ EXPÉDIÉE /Quantity Shipped:	200
POIDS EXPÉDIÉ / Weight Shipped :	3,00

Signature: **Date:**

EXPÉDIÉ LE / Shipped On : **2013/07/25**

Metcor Inc.
560, boul. Arthur-Sauvé, St-Eustache (Québec) J7R 5A8
Tél. 450 473-1884
Télécopieur/Fax administration 450 491-5498
Télécopieur/Fax:production 450 491-6454

Rapport d'Inspection
Inspection Report

BON DE TRAVAIL order	CHARGEMENT load
187653	1

CLIENT / customer 215
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY ON K6A 1K7

LIVRÉ À / shipped to: 1
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY ON K6A 1K7

COMMANDE DU CLIENT customer po	BON DE LIVRAISON DU CLIENT customer shipper no.	MATÉRIEL material	CODE DE TRAITEMENT mat'l heat code	NUMÉRO DE LOT lot number
PO20381		AL-6061		

SPÉCIFICATIONS DU PROCÉDÉ
processing specifications

SOL ANNEAL
SINGLE AGING TO CONDITION T42
□

EXIGENCE / requirement	SPECIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results
CONDUCTIVITY	35 - 43 %IACS	20	38.0 - 39.0 %IACS
HARDNESS	60 HREW MIN	20	67.0 - 70.0 HREW
			DURETEE MESUREE EN HR15TW = 66.3-68 HR15TW

QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description
200	3	D4720-1 .(200) SPACER REFERENCE 102892 MATERIAL: AL-6061-T6 CONTENANT: 1 BOÎTE DE CARTON

19 Jan

COMMENTAIRES / comments

CERTIFIÉ par / Certified by: METCOR 7 DATE: 2013-07-25

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ
ST-EUSTACHE, QC, J7R 5A8
Tel: 450-473-1884 / Fax: 450-491-5498

Certificat de Conformité Détaillé
Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
187653	1

CLIENT / customer 215
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY ON K6A 1K7

LIVRÉ À / shipped to: 1
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY ON K6A 1K7

COMMANDE DU CLIENT customer po	BON DE LIVRAISON DU CLIENT customer shipper no.	MATÉRIEL material	CODE DE TRAITEMENT mat'l heat code	NUMÉRO DE LOT lot number
PO20381		AL-6061		

SPÉCIFICATIONS DU PROCÉDÉ
processing specifications

SOL ANNEAL
SINGLE AGING TO CONDITION T42

EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results
CONDUCTIVITY	35 - 43 %IACS	20	38.0 - 39.0 %IACS
HARDNESS	60 HREW MIN	20	67.0 - 70.0 HREW
			DURETEE MESUREE EN HR15TW = 66.3-68 HR15TW

QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description
200	3	D4720-1 (200) SPACER REFERENCE 102892 MATERIAL: AL-6061-T6 CONTENANT: 1 BOÎTE DE CARTON

Operation	Temp. spécifiée Specified Temp	Temps de trempe Spécifié Specified Soak Temp	Atmosphere	Carbone Carbon Potential	Q-Media Q-Temp	Four # Furnace #	Date Départ Start Date	Heure d'entrée Time In	Heure de sortie Time Out	Date Complétée Date complete
1.00 CONT. INIT.										
2.00 Degrease										
3.00 PREPARING	COMPTAGE									
4.00 PREHEAT 1	529°C	0:30	air			709				
5.00 WATER TEM										
6.00 SOL ANNEA	529°C -/+6°C	0:35 -0/+1:00	AIR		WATER 32MAX	709				

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ
ST-EUSTACHE, QC, J7R 5A8
Tel: 450-473-1884 / Fax: 450-491-5498

Certificat de Conformité Détaillé -
Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
187653	1

CLIENT / customer 215
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY ON K6A 1K7

LIVRÉ À / shipped to: 1
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY ON K6A 1K7

Operation	Temp. spécifiée Specified Temp	Temps de trempe Spécifié Specified Soak Temp	Atmosphere	Carbone Carbon Potential	Q-Media Q-Temp	Four # Furnace #	Date Départ Start Date	Heure d'entrée Time In	Heure de sortie Time Out	Date Complétée Date complete
7.00 QUENCHDE										
8.00 WATER TEM										
9.00 PREPARING										
10.00 AGE HARDE	AMBIANT	96:00 -0/+0:30								
11.00 HARDN INS										
12.00 CONDUCT_										
13.00 FINAL INSP						07-25-2013			07-25-2013	

COMMENTAIRES / comments

Le traitement thermique a été fait en utilisant des équipements en conformité avec la spécification demandée.
Toutes les opérations de traitement thermique ont été faites en conformité avec les requis de la spécification demandée et toutes les vérifications et les tests demandées ont été faites et documentés.
Aucun changement ou dérogation n'a été faite par rapport au traitement thermique demandé.
On certifie que le matériel a été fabriqué, échantillonné, testé et inspecté en accord avec les spécifications du matériel et le bon de commande et le matériel rencontre les exigences spécifiés.

All the heat treatment processing performed on this order was accomplished using heat treatment equipment compliant with the requested heat treatment specification.
All the heat treatment operations were accomplished in accordance with the requested/required heat treatment specification and all required verifications test have been performed and documented.
No unauthorized changes or deviations to required heat treatment specifications or procedures have been performed.
We certify that the material was manufactured, sampled, tested and inspected in accordance with the material specification and the purchase order and was found to meet the requirements.

APPROUVÉ par / Approved by: METCOR 12 DATE: 2013-07-25

/ Nous certifions que toute l'information comprise sur ce rapport est exacte et conforme aux requis du client./We certify that all the information on this report is exact and in accordance with the order requirements.